

### **KRA5127**

#### **Specific rear rack in aluminium for MONOKEY® top-case**

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the top-case / it can only be mounted on the original rack in aluminium

### **KR5129**

#### **Specific rear rack for MONOLOCK® or MONOKEY® top-case**

to be combined with the MONOKEY® KM5, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / maximum load allowed 6 kg / it can only be mounted to the original plastic rack

**KLR5127**

**Specific rapid release side-case holder for MONOKEY® or RETRO FIT cases**

**KL5127CAM**

**Specific pannier holder for MONOKEY® CAM-SIDE**

18 mm diameter

**BF11K**

**Specific flange for fitting the tank bags with TANKLOCK system**

**KD5127S**

**Specific screen, smoked 44 x 47 cm (H x W)**

to be combined with the specific D5129KITK fitting kit / 17 cm higher than the original

**KD5127ST**

**Specific screen, transparent 54,5 x 49 cm (H x W)**

to be combined with the specific D5129KITK fitting kit / 27 cm higher than the original

**KAF5127B**

**Specific sliding wind-screen transparent, Airflow. Maximum height 59 cm (12 cm of extension), width 49 cm**

to be combined with the specific D5129KITK fitting kit / to be mounted instead of the original screen

**D5129KITK**

**Specific fitting kit for KD5127S, KD5127ST, KAF5127B**

**KN5129**

**Specific engine guard, black**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic

**KN5129OX**

**Specific engine guard, stainless steel**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic

**RP5129KITK**

**Specific kit to install the RP5129K, RP5140K**

**LS5127K**

**Specific fitting kit to mount spotlights where specific engine guard is not present**