



### **KRA6422**

# Specific rear rack in anodised aluminium for $\ensuremath{\mathsf{MONOKEY}}\xspace\ensuremath{\mathsf{@}}$ top-case, black

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the case  $\frac{1}{2}$ 



### **KLO6423MK**

# Specific pannier holder KL ONE-FIT for MONOKEY® side-cases configuration

18 mm diameter / to be combined with 12RKITK for the transformation into Rapid Release pannier holder

#### KLO6423CAM

# Specific pannier holder KL ONE-FIT for MONOKEY® CAM-SIDE configuration

18 mm diameter / to be combined with 12RKITK for the transformation into Rapid Release pannier holder  $\,$ 



#### 12RKITK

RAPID RELEASE kit that allows you to transform the side case holder into a quick-release frame



#### **KD6422ST**

Specific screen, transparent 57 x 38 cm (H x W)

to be mounted instead of the original screen / 12,5 cm higher than the original  $\,$ 



ES6423K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand



### **KFB6422**

# Fairing upper bracket to be mounted behind the windshield to install KS920M, KS920L, KS95KIT and GPS-Smartphone holder



