



BF99K

Specific flange for fitting the tank bags with TANKLOCK system



KRA5143

Specific rear rack in anodised aluminium for MONOKEY® top-case, black

to be combined with 5148KIT it can only be mounted on the aluminium rack with electromagnetic joint and floating plate for original top case / it does not allow the assembly of the stop light kit or the remote control device on the top-case





KLX5153

Specific pannier holder for K33 MONOKEY® SIDE cases

it can only be mounted on the aluminium rack with electromagnetic joint and floating plate for original top case / to be combined with 16RKITK for the transformation into Rapid Release pannier holder



KR5152

Specific rear rack for MONOLOCK® or MONOKEY® top-case

Only for version without original original rear rack / maximum load allowed 6 kg / to be combined with the KM5, KM7, KM8A, KM8B, MONOKEY® plate, or with the KM5M or KM6M MONOLOCK® plate, or with the aluminium bag holder EX2M / it cannot be mounted with the original pannier holder / if combined with KM8A, KM8B it does not allow the assembly of the stop light kit or the remote control device on the top-case




KLX5152

Specific pannier holder for K33 MONOKEY® SIDE cases

Only for version without original original rear rack / to be combined with 07RKITK for the transformation into Rapid Release pannier holder / Èit can be mounted without the specific rear rack KR5152 using the 5152KITK / it cannot be mounted with the original pannier holder

07RKITK

RAPID RELEASE kit that allows you to transform the side case holder into a quick-release frame



08RKITK

RAPID RELEASE kit that allows you to transform the side case holder into a quick-release frame



16RKITK

RAPID RELEASE kit that allows you to transform the side case holder into a quick-release frame

To be combined with pannier holder KLX5153



KD5152ST

Specific screen, transparent, 52,5 x 54 cm (H x W)

to be mounted instead of the original screen




KN5152

Specific engine guard, black

You need to remove the lower side panels if they are installed on the motorcycle (only some versions come with them as standard) 25 mm diameter steel tube / we recommend fitting by a qualified mechanic





5148KITK

Specific kit to install the specific rear rack KRA5143 on the original rack, offered as an option by the manufacturer

to be combined with KRA5143 / it can only be mounted on the aluminium rack with electromagnetic joint and floating plate for original top case



③ Hole Ø8,5mm/
External Ø14mm/
H.15mm

④ Hole Ø6,5mm/
External Ø10mm/
H.3mm

5152KITK

Specific kit to install the KLX5152 without the specific rear rack KR5152

