




KR1144

Specific rear rack for MONOLOCK® or MONOKEY® top-case

to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case



KLR1144

Specific rapid release side-case holder for MONOKEY® or RETRO FIT cases

you must move the indicators from their original position



KL1144CAM

Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter



KD1144S

Specific screen, smoked 47,5 x 35 cm (H x W)

2 cm higher than the original / to be mounted instead of the original screen



KD1144ST

Specific screen, transparent 60 x 35 cm (H x W)

14,5 cm higher than the original / to be mounted instead of the original screen



KD1144BO

Specific low and sports screen matt black 40 x 31 cm (H x W)

to be mounted instead of the original screen





BF25K

Specific flange for fitting the tank bags with TANKLOCK system

only compatible with DR04 Tanklock

KN1144

Specific engine guard, black


Not compatible with CRF1000L Africa Twin DCT / 25 mm diameter steel tube / we recommend fitting by a qualified mechanic



KNH1144

Specific engine guard, black


it must be mounted with KN1144, KN1144OX, KN1162, KN1162OX, KN1151 or KN1151OX / 25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators



KN1162

Specific engine guard, black


Only for CRF1000L Africa Twin DCT / 25 mm diameter steel tube / we recommend fitting by a qualified mechanic



RP1144K

Oil carter protector in brushed and anodised aluminium

thickness of 5 mm




RP1162K

Oil carter protector in brushed and anodised aluminium

thickness of 5 mm

ES1144K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand



03SKITK

Specific kit to mounting the KS900A Smart Bar

01VKITK

Specific kit to mount the Smart Mount RC KS904B

needs to be mounted on the brake fluid reservoir cover right-hand side / also compatible with versions Africa Twin ABS (16 > 17), Africa Twin ABS Travel Edition (16 > 17), Africa Twin DCT ABS (16 > 17), Africa Twin DCT ABS Travel Edition (16 > 17)

