



KR1171

Specific rear rack for MONOLOCK® or MONOKEY® top-case

maximum load allowed 6 kg / to be combined with the KM5, KM7, KM8A, KM8B, KM9A, KM9B MONOKEY® plate, or with the KM5M or KM6M MONOLOCK® plate, or with the plate already included in the MONOLOCK® top-case / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the top-case



KLO1171MK

Specific pannier holder KL ONE-FIT for MONOKEY® side-cases configuration

18 mm diameter / the case holder does not interfere with the rear indicators, but the indicators must be moved using the supports included in the package in order to guarantee the 80° of illumination required by the rules of the road / it can be mounted without the specific rear rack 1121KZ or KR1171 using the 1121KITK / not compatible with AV07



KLO1171CAM Specific pannier holder KL ONE-FIT for MONOKEY® CAM-SIDE configuration

18 mm diameter / the case holder does not interfere with the rear indicators, but the indicators must be moved using the supports included in the package in order to guarantee the 80° of illumination required by the rules of the road / it can be mounted without the specific rear rack 1121KZ or KR1171 using the 1121KITK



KLX1171 Specific pannier holder for K33 MONOKEY® SIDE cases

it can be mounted without the specific rear rack 1121KZ or KR1171 using the 1121KITK / the case holder does not interfere with the rear indicators, but the indicators must be moved using the supports included in the package in order to guarantee the 80° of illumination required by the rules of the road

1121KITK Specific kit to install the KLX1171 without the specific rear rack KZ1121



BF44K Specific flange for fitting the tank bags with TANKLOCK system

only compatible with flat-bottomed bags / not compatible with curved bottom bags





KD1203ST

Specific screen, transparent 54 x 45 cm (H x W)

to be mounted instead of the original screen / 20 cm higher than the original



KD1203S

Specific screen, smoked 45 x 39 cm (H x W)

to be mounted instead of the original screen / 13 cm higher than the original



KAF1203B

Specific sliding wind-screen transparent, Airflow. Maximum height 53,5 cm (12 cm of extension) width 45 cm

to be mounted instead of the original screen



KN1203

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



KNH1203

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators / it must be mounted with KN1203



RM1171KITK

Specific kit to install the spray guard KRM02



KMG1203

Specific ABS mudguard, black colour

LS1203K

Specific fitting kit to mount spotlights where specific engine guard is not present





KHP1192B Specific, technopolymer, black hand protectors

ES1203K Specific support in aluminium and stainless steel to widen the surface support area of the original side stand

